

Encadrement :

Vital KOMBAYA,
Sébastien HENRY,

Etablissement : Lyon 1

Laboratoire : laboratoire DISP

Profil recherché :

System Engineering / Computer Science

Financement: 600 € per month

Période de stage : spring semester

Compétences souhaitées :

System Engineering, Industrial automation

Mots-clés:

Digital twin, Manufacturing system, life cycle

CONTEXT

A Digital Twin (DT) is a dynamic digital representation of a physical system, continuously synchronized with it through bidirectional data exchange. Beyond simple modelling, it enables monitoring, simulation, prediction, and decision support throughout the system lifecycle. Initially developed in critical sectors such as aerospace and energy, DTs are now at the heart of industrial digital transformation and Cyber-Physical Production Systems (CPPS).

In the context of Industry 5.0, DT play a central role in the design, operation, and reconfiguration of CPPS, where equipment, software, sensors, and human operators interact.

A DT relies on the integration of three interdependent scientific components:

- **Multimodal data streams** (historical, real-time, and event-based), capturing system variability and uncertainty,
- **Computational and hybrid models** (physics-based, data-driven, reduced-order), capable of continuous recalibration via data assimilation,
- **Decision-support services** (diagnosis, prognosis, prescriptive analytics), enabling proactive and model-informed control of the physical system.

However, industrial systems are generally designed using heterogeneous models from different disciplines (mechanical, electrical, automation, and software engineering), which are often developed independently. This fragmentation limits interoperability and constitutes a major obstacle to the deployment of coherent and evolvable DT.

In this context, the DT provides an integration framework capable of bringing together this fragmented knowledge within a unified digital representation. Beyond simulation, it acts as a support for coordinating different engineering disciplines, fostering the consistency, evolution, and reconfigurability of intelligent production systems.

PROPOSED APPROACH AND INTERNSHIP CHALLENGES

The objective of the internship is to contribute to a **lifecycle-oriented methodology for DT development**, based on the **co-engineering of the CPPS and its DT**. The approach will aim to ensure consistency, traceability, and interoperability across the different engineering disciplines involved in the development of automated production systems.

In practice, a production system is described through multiple engineering views, including **mechanical, electrical, pneumatic, automation, system, and production/flow management views**. These representations are generally developed using different modelling approaches and tools, which makes it difficult to maintain consistent links between them throughout the system lifecycle. A given physical component may, for example, be represented simultaneously in a 3D model, an electrical schematic, a pneumatic schematic, and a SysML model. Similarly, the system-level representation must be able to capture not only the physical architecture but also the **production processes, product transformations, and material flows**.

This raises the need for mechanisms capable of **connecting heterogeneous representations, maintaining traceability between models, and automatically exploiting the information contained in system models**. Such mechanisms could facilitate model consistency checking, the navigation between engineering views, and the evolution of the DT as the physical system changes. The use of MBSE and SysML provides a system-level framework for structuring these relationships, while tools such as **3DEXPERIENCE and CATIA Magic** may support the integration of heterogeneous engineering representations.

The internship will investigate how heterogeneous models from mechanical, electrical, fluidic, automation, and software engineering can be decomposed, connected, and integrated into a coherent DT. The objective is to support multi-engineering simulation and co-simulation while maintaining links between system-level specifications, engineering models, and physical components.

Three complementary challenges will be addressed:

- **Interconnection of engineering views:** since the same component may appear in multiple views (mechanical, electrical, pneumatic, production/flow, and system), investigate how to automatically establish correspondences between these representations and their associated bills of materials (3D, electrical schematics, and pneumatic schematics), notably using the capabilities of **3DEXPERIENCE** and **CATIA Magic**.
- **Automatic exploitation of SysML models:** investigate how SysML models, particularly block diagrams, can be **automatically read and analyzed by a computer program**, for example by transforming the SysML model into a representation that can be processed using Python.
- **Integration of system and production/flow views:** investigate how to integrate **product transformations and production flows** into the system model, for example the transformation of a bottle, a cap, and water into a filled bottle, and finally into a filled and capped bottle.

The final objective is to propose a **generic and adaptable methodological framework** for integrating and exploiting the different models of an automated production system within a coherent and evolvable Digital Twin.

EXPECTED DELIVERABLES

The expected outcomes of this research internship are:

- A structured academic and industrial **literature review** on modelling methods for automated production systems, MBSE, and multi-engineering DT development.
- The **continuation and consolidation of the work initiated by two previous internships**, respectively focused on MATLAB-based modelling and simulation and on MBSE/SysML system modelling. The objective will be to deepen these developments and establish connections between representations of the same component across different engineering domains, potentially using the integration capabilities of **3DEXPERIENCE** and **CATIA Magic**.
- The **extension of the SysML model**, to provide a consistent representation of production articles and flows, and to establish links between system-level views and production/flow management views.
- The **exploration of automatic analysis and processing of SysML models**, including the transformation of model information into a machine-readable representation to support automated validation, analysis, and model exploitation.
- **Evaluate and validate the proposed methodology on a case study** representative of a CPPS. Assess its feasibility and potential for generalization to different industrial contexts. Produce a synthesis report presenting the methodology developed, the results obtained, and prospects for transfer to other applications.

Working environment

The DISP (Decision and Information Systems for Production system, UR4570) laboratory brings together researchers and teacher-researchers from the University of Lyon, with dual expertise in Industrial Engineering and Business Information Systems. In response to the scientific challenges posed by changes in the socio-economic world, it conducts research into the design and deployment of decision-support methods and information systems to improve the performance, agility and resilience of goods and services production systems and global supply chains. Its dual expertise, drawing on skills in Modeling, Operations Research, Simulation, Software Engineering, Artificial Intelligence, Planning, Scheduling and Decision Support, enables it to consider these complex systems in their technical, structural, organizational and human dimensions simultaneously. Its members are spread across 4 institutions of the University of Lyon: INSA Lyon, Université Lumière Lyon 2 and Université Claude Bernard Lyon 1, as the parent institutions, and Université Jean Monnet de Saint Etienne as a partner institution.

Application

The application must include:

- A detailed CV
- A cover letter outlining your motivation for the master.
- Grades from Master's program (M1, M2) or engineering school (L3, M1, M2) and any other documents deemed useful (letters of recommendation, for example)

After an initial selection process based on applications, the selected candidates will be interviewed by the master supervisors.

The master is scheduled to start in February 2026. The gross monthly financment is 600 euros.

Applications should be sent by email to Sébastien HENRY and Jesus Vital KOMBAYA TOUCKIA JESUS : jesus.kombaya-touckia@univ-lyon1.fr, sebastien.henry@univ-lyon1.fr

4 REFERENCES BIBLIOGRAPHIQUES

- [1] ISO, ISO/IEC 30173:2023, Digital Twin - Concepts and Terminology (5.6) Life cycle process for digital twin), 2023
- [2] M. W. Grieves, Digital twins: past, present, and future, in: The digital twin, Springer, 2023, pp. 97–121.
- Singh M., Fuenmayor E., Hinchey E.P., Qiao Y., Murray N., Devine D., Digital Twin: Origin to Future, Applied System Innovation, 4 (36), 2021 – doi:10.3390/asi4020036
- [3] Botín-Sanabria D.M., Mihaita A.-S., Peimbert-García R.E., Ramírez-Moreno M.A., Ramírez-Mendoza R.A., Lozoya-Santos J.d.J., Digital Twin Technology Challenges and Applications: A Comprehensive Review, Remote Sensing, 14, 1335, 2022 – doi:10.3390/rs14061335
- [4] Muctadir H. M., Manrique Negrin D. A., Gunasekaran R., Cleophas L., Van den Brand M., Haverkort B. R. Current trends in digital twin development, maintenance, and operation: an interview study, Software and Systems Modeling, 1-31, 2024 – doi:10.1007/s10270-024-01167-z
- [5] R. Andersen, A. Napoleone, A.-L. Andersen, T. D. Brunoe, K. Nielsen, A systematic methodology for changeable and reconfigurable manufacturing systems development, Journal of Manufacturing Systems 74 (2024) 449–462.
- [6] C. Zhang, W. Xu, J. Liu, Z. Liu, Z. Zhou, D. T. Pham, A reconfigurable modeling approach for digital twin-based manufacturing system, Procedia Cirp 83 (2019) 118–125.
- [7] J. K. Touckia, Integrating the digital twin concept into the evaluation of reconfigurable manufacturing systems (rms): literature review and research trend, The International Journal of Advanced Manufacturing Technology 126 (2023) 875–889.
- [8] S. Plitsos, K. Giannakos, T. Farmakis, P. Eirinakis, T. Hohmann, O. Jotz, G. Vivo, Enabling production reconfigurability through digital twins: a case study approach, Journal of Intelligent Manufacturing (2025) 1–24.
- [9] Qi Q., Tao F., Hu T., Anwer N., Liu A., Wei Y., Wang L., Nee A.Y.C., Enabling technologies and tools for digital twin, Journal of Manufacturing Systems, 58 (B), 3-21, 2021 – doi:10.1016/j.jmsy.2019.10.001
- [10] Krob D., Model-Based Systems Architecting – Using CESAM to Architect Complex Systems, 217 pages, ISTE & Wiley, 2022 – ISBN: 9781786308207
- [11] Akcay A., Biller S., Gan B. P., Laroque C., Shao G., Maintenance and Operations of Manufacturing Digital Twins, In “2023 Winter Simulation Conference” (WSC 2023), 1888-1899, IEEE, 2023.
- [12] Dittler, D., Lierhammer, P., Braun, D., Müller, T., Jazdi, N., & Weyrich, M. , A novel model adaption approach for intelligent digital twins of modular production systems, In 2023 IEEE 28th International Conference on Emerging Technologies and Factory Automation (ETFA), 1-8. IEEE, Sept. 2023
- [13] Dittler, D., Stegmaier, V., Jazdi, N., & Weyrich, M. , Illustrating the benefits of efficient creation and adaption of behavior models in intelligent Digital Twins over the machine life cycle, Journal of Manufacturing Systems, 76, 520-539, 2024 – doi:10.1016/j.jmsy.2024.08.016
- [14] Müller P., Configuration Management – A Core Competence for Successful through-life Systems Engineering and Engineering Services, 2nd Intern. Through-life Engineering Services Conference Special Issue, 11, 187-192, Procedia CIRP, 2013 – doi: 10.1016/j.procir.2013.07.032
- [15] Krob D., Rauzy A., Method for modeling and simulating a system of systems, brevet international, WO2023161793A1, 2022